LaTeX News

Issue 6, December 1996

Welcome to LaTeX News 6

This issue of *LaTeX News* accompanies the sixth release of the new standard LaTeX, LaTeX 2_ε.

Mono-case file names

Previously LaTeX has used some files with 'mixed-case' file names such as `T1cmr.fd` and `T1enc.def`.

These file names cause problems on some systems (in particular they are illegal on the ISO 9660 CDROM format) and so in this release all file names have been made lowercase (for example `t1cmr.fd` and `t1enc.def`).

This change should *not* affect any document. Within LaTeX, encodings still have the usual uppercase names in uses such as `\usepackage[T1]{fontenc}` and `\fontencoding{T1}`. LaTeX will automatically convert to the lowercase form while constructing the file name. LaTeX will input the 'fd' file under the old name if it fails to find the file with the new name, so existing collections of fd files should still work with this new release.

The change *does* affect the configuration files that may be used to make the LaTeX format with initex. For example, the file `fonttext.ltx` previously specified `\input{T1cmr.fd}`. It now has `\input{t1cmr.fd}`. If you use a local file `fonttext.cfg` you will need to make similar changes, as `\input{T1cmr.fd}` will not work as `T1cmr.fd` is no longer in the distribution.

The files affected by this change all have names of the form `*.fd` or `*enc.def`.

Another input encoding

Thanks to work by Søren Sandmann, the inputenc package now supports the IBM codepage 865 used in Scandinavia.

Better user-defined math display environments

Suppose that you want to define an environment for displaying text that is numbered as an equation. A straightforward way to do this is as follows:

```
\newenvironment{texteqn}
  {\begin{equation}
     \begin{minipage}{0.9\linewidth}}
    {\end{minipage}
  \end{equation}}
```

However, if you have tried this then you will probably have noticed that it does not work perfectly when used in the middle of a paragraph because an inter-word space appears at the beginning of the first line after the environment.

There is now an extra command (with a very long name) available that you can use to avoid this problem; it should be inserted as shown here:

```
\newenvironment{texteqn}
  {\begin{equation}
     \begin{minipage}{0.9\linewidth}}
    {\end{minipage}
  \end{equation}
  \ignorespacesafterend}
```

Docstrip improvements

The docstrip program that is used to unpack the LaTeX sources has undergone further development. The new version should be able to process all old 'batchfiles' but it allows a simpler syntax in new 'batchfiles' (no need to define `\def\batchfile{...}`).

It also allows 'target' directories to be specified when writing files. This directory support is disabled by default unless activated in a local `docstrip.cfg` configuration file. See `docstrip.dtx` for details.

AMS LaTeX update

Since the last LaTeX release in June, the American Mathematical Society have re-issued the 'AMSLaTeX' classes and packages, fixing several reported problems.

Graphics package update

The LaTeX color and graphics packages have been updated slightly, principally to support more dvi drivers, see the readme file in the graphics distribution.

EC Fonts released

The first release of the Extended Computer Modern fonts has just been made. (In January 1997.)

This release of LaTeX does *not* default to these 'ec' fonts as its T1 encoded fonts. By default it will use the 'dc' fonts if the T1 encoding is requested.

As noted in `install.txt` you may run TeX on the install file `ec.ins` *after* unpacking the base distribution but *before* making the LaTeX format. This will produce suitable 'fd' files making LaTeX (including, for the first time, the slides class) use the 'ec' fonts as the default T1 encoded font set.

LaTeX News, and the LaTeX software, are brought to you by the LaTeX3 Project Team; Copyright 1996, all rights reserved.